	Туре	L #	Hits	Search Text	DBs	Time :	Stamp
1				stamped or stamping or emboss or embossed or embossing) near5 (specification or convert or conversion or correct or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/0 13:07	9/18

	Туре	L #	Hits	Search Text	DBs	Time St	amp
2				(mark or marked or marking or label or labeled or labeled or labeling or tag or tagged or tagging or media or medium or memory or register or registered or registering or implant or implanting or implanted or add or added or adding or embed or embedded or embedding or stamp or stamped or stamping or emboss or embossed or	US-PGPUB; USPAT;	2009/09/	
3	BRS	L3	2446012	(plan or size or shape or blue or blueprint or specification or criteria or criterium or requirement or tolerance or qualification or standard or bench or benchmark or baseline or base or reference) near6 (generate or generated or generating or generation create or created or creating or creation or build or building or built or fabricate or fabricated or fabrication or manufacture or manufacturing or machine or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/ 13 : 08	18

	Type	L #	Hits	Search Text	DBs	Time Stamp
4	BRS	L4	10929	(1 or 2) same 3 same (track or tracked or tracker or tracker or locater or locate or locate or locating or location or position or positioning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:10
5	BRS	L5	2203144	characterization) near5 (measure or measured or measurement or test or testing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:10

	Type	L #	Hits	Search Text	DBs	Time	Stamp
6			2315281	(specification or size or shape or contour or contouring or profile or profiling or dimension or dimensional or length or width or height or depth or thick or thickness or coordinate or (co adj2 ordinate) or 1d or 2d or 3d or x or y or z or cartesian or polar or characterize or characterized or characterized or characterizing or characterization) near5 (determine or determining or determination or determined or scan or scanned or scanning or scanner or image or imaged or imaging or imager or meter or metered or	US-PGPUB; USPAT;	2009/0	_

	Туре	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L 7	718058	evaluate or evaluated or evaluating or evaluation or evaluator or evaluater or analysis or analyze or analyzed or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:11
8	BRS	L8	397672	or specification or criteria or criterium or requirement or tolerance or qualification or standard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:12
9	BRS	L9	71760	8 same (health or healthy or good or pass or normal or acceptable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:12

	Туре	L #	Hits	Search Text	DBs	Time Stamp
10			2415155	(5 or 6 or specification or convert or conversion or correct or corrected or correcting or correction or compensate or compensated or compensating or compensation or calibrate or calibrated or calibrated or calibrating or calibration or plan or size or shape or specification or criteria or criterium or requirement or tolerance or qualification or standard or reference or dimension or length or width or height or depth or thick or thickness or coordinate or (co adj2 ordinate) or characterize or	US-PGPUB; USPAT;	2009/09/18

I	,	
		or print or printed or
		printing or imprint or
		imprinted or imprinting or
		stamp or stamped or
		stamping or emboss or
		embossed or embossing)

	Туре	L #	Hits	Search Text	DBs	Time	Stamp
11			1306755	adjusting or adjustment) near10 (write or written or writing or log or logged or logging or logger or record or recording or recorded or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/	-

	Type	L #	Hits	Search Text	DBs	Time Stamp
12	BRS	L12	1396833	stamped or stamping or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:12
13	BRS	L13	201934	(10 or 11) same 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13 : 13

	Туре	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	195961	tracking or trackor or locator or locater or locate or located or locating or location or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18
15	BRS	L15	92	4 and 9 and ((1 or 2) same 14)		2009/09/18 13:14

	Туре	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	179233	displaying or model or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:15
17	BRS	L17	77351	((5 or 6) same 16) or (14 same 16)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:15
18	BRS	L18	27061	17 same (track or tracked or tracker or tracking or trackor or locator or locater or located or location or positioning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:16
19	BRS	L19	2406	14 same 18	US-PGPUB; USPAT;	2009/09/18 13:16
20	BRS	L20	460	13 and 14 and 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:16
21	BRS	L21	539089	3 same (track or tracked or tracker or tracking or trackor or locator or locater or locate or located or location or positioning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:16

	Туре	L #	Hits	Search Text	DBs	Time Stamp
22	BRS	L22	1789	4 and 14 and 21 Reviewed Ti, Ab, Kwic All	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:17
23	BRS	L23	550	15 or 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13 : 18

	Type	L #	Hits	Search Text	DBs	Time Stamp	
24	BRS		Hits 1450	("20070265715" or "2005102202" or "5617857" or "6347460" or "6640607" or "5987960" or "4672306" or "5357953" or "4303984" or "4418392" or "4845649" or "4868476" or "5089979" or "5347476" or "5365462" or "5790432" or "5839094" or "5946641" or "6427129" or "20070187240").pn. or ((@pd>="19590101" and @pd<="19710101") and (33/501 or 33/502 or 33/503 or 33/504 or 33/533 or 33/534 or 33/535 or 33/545 or 33/546 or 33/551 or 33/559 or 73/1.01 or 73/1.79 or 73/1.81 or 73/865.8 or 73/865.9 or 235/375 or 356/600 or 356/601 or 356/602 or 356/603 or 356/604 or 356/605 or	US-PGPUB; USPAT;	Time Stamp 2009/09/18 13:18	
24	BRS	L24	1450	(33/501 or 33/502 or 33/503 or 33/504 or 33/533 or 33/534 or 33/535 or 33/545 or 33/546 or 33/547 or 33/548 or 33/551 or 33/559 or 73/1.01 or 73/1.79 or 73/1.81 or 73/865.8 or 73/865.9 or 235/375 or 356/2 or 356/243.1 or 356/600 or 356/601 or 356/602 or 356/603 or 356/604 or 356/607 or 356/608 or 356/607 or 356/612 or 356/611 or 356/625 or 356/626 or 356/627 or 356/628 or 356/627 or 356/630 or 356/631 or 356/632 or 356/631 or 356/632 or 356/633 or 356/634 or 356/635 or 356/636 or 356/637 or 356/638 or 356/639 or 356/638 or 356/639 or 356/639 or 356/394 or 356/388 or 356/394 or 382/100 or 382/141 or 382/152 or 700/90 or 700/95 or 702/1 or 702/33 or 702/34 or 702/35 or 702/81	USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	2009/09/18 13:18	
				or 702/82 or 702/84 or 702/85 or 702/97 or 702/105 or 702/127 or 702/155 or 702/156 or 702/157 or 702/158 or 702/166 or			

702/167 or 702/168 or	
702/170 or 702/187 or 702/188 or 702/189).ccls.)	

	Туре	L #	Hits	Search Text	DBs	Time Stamp
25		L25	828	(@pd>="19470101" and @pd<="19581231") and (33/501 or 33/502 or 33/503 or 33/504 or 33/533 or 33/534 or 33/535 or 33/545 or 33/546 or 33/547 or 33/548 or 33/551 or 33/559 or 73/1.01 or 73/1.79 or 73/1.81 or 73/865.8 or 73/865.9 or 235/375 or 356/2 or 356/243.1 or 356/600 or 356/601 or 356/602 or 356/603 or 356/604 or 356/605 or 356/608 or 356/607 or 356/608 or 356/607 or 356/612 or 356/611 or 356/625 or 356/626 or 356/625 or 356/628 or 356/629 or 356/630 or	US-PGPUB; USPAT;	2009/09/18 13:19
26	BRS	L26	0	("2007/0265715").URPN.	HIGDAT.	2009/09/18 13 : 19

	Туре	L #	Hits	Search Text	DBs	Time Stamp
27	BRS	L27	101	(b.in. or benoit.in.)) or (brillon\$1.in. adj2 (l.in. or louis.in.)) or (pelletier\$1.in. adj1 (b.in. or benoit.in.)) or (jutras\$1 in adj2 (s.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:19
28	BRS	L28	16	27 and (1 or 2 or 3 or 4) and (5 or 6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/09/18 13:19

Interference Search of L22, L23, L24, L25, L26 & L28 /ERC/ 18 September 2009

	Document ID	Publicati on Date	Inventor	Current OR	Current XRef	Page s
1	US 4382215 A	19830503	Barlow; Allan R. et al.	318/568.1	318/572; 318/632; 700/176; 700/192; 700/195	28
2	JP 62130160 A	19870612	MATSUKI, HIDEAKI et al.		700/196	7
3	US 4868476 A	19890919	Respaut; James E.	318/632	318/490; 73/618; 73/633	9
4	US 20070108285 A1	20070517	Lapstun; Paul et al.	235/454		82

L22 Results

	Γ	ocument	ID	Publicati on Date	Inventor	Current OR	Current XRef	Page s
1	US	4303984	A	19811201	Houvig; Felix J.	702/104	374/171; 376/247; 73/313	5
2	US	4418392	A	19831129	Hata; Yoogo	702/91	374/E7.033; 600/549; 600/561	8
3	US	4672306	A	19870609	Thong; Tran	324/72.5		7
4	US	4845649	A	19890704	Eckardt; Dieter et al.	702/104	340/442; 340/501; 73/146.2	5
5	US	4868476	A	19890919	Respaut; James E.	318/632	318/490; 73/618; 73/633	9
6	US	5089979	A	11 9 9 2 11 2 1 8	McEachern; Alexander et al.	702/91	73/1.88	7
7	US	5347476	A	19940913	McBean, Sr.; Ronald V.	702/91	324/174; 73/1.88	14
8	US	5357953	A	19941025	Merrick; Edwin B. et al.	600/331	356/39	13
9	US	5365462	A	19941115	McBean, Sr.; Ronald V.	702/91	73/1.88	16
10	US	5375073	A	19941220	McBean; Ronald V.	702/91	324/115; 73/1.88	15
11	US	5377128	A	19941227	McBean; Ronald V.	702/91	73/1.88	16
12	US	5617857	A	11 99 70408	Chader; Martin D. et al.	600/424	128/899; 128/903; 600/475	13
13	US	5790432	A	19980804	Morys; Marian	702/91	324/115; 702/104; 702/86	16
14	US	5839094	A	19981117	French; Patrick D.	702/91	702/85	23
15	US	5946641	A	19990831	Morys; Marian	702/91	324/115	16

L24 Results

	Document	ID	Publicati on Date	Inventor	Current OR	Current XRef	Page s
16	US 5987960	A	19991123	Messner; Dale A. et al.	73/1.79		15
17	US 6347460	B1	20020219	Forrer; Ruth et al.	33/626	128/920; 33/1CC; 700/175; 700/303; 702/150; 702/94	8
18	US 6427129	В1	20020730	Lalla; Robert	702/88	702/99	8
19	US 6640607	В2	20031104	Abbe; Makoto	73/1.01	73/1.79; 73/1.81	29
20	WO 2005102 A1	202	20051103				23
21	US 2007018 A1	7240	20070816	Araya; Kenichi et al.	204/424		14
22	US 2007026 A1	5715	1/1111111	Chouinard; Benoit et al.	700/56	600/424; 700/115; 700/245; 700/250; 700/254; 700/57; 702/85; 702/94	8

L24 Results

	Document ID	Publicati on Date	Inventor	Current OR	Current XRef	Page s
1	US 20070265715 A1	ZUU/1115	Chouinard; Benoit et al.	700/56	600/424; 700/115; 700/245; 700/250; 700/254; 700/57; 702/85; 702/94	8

L28 Results